opentext™

Accessibility Conformance Report

Revised Section 508 Edition

(Based on VPAT® Version 2.4)

Name of Product/Version:

OpenText Exstream Design and Production Design Manager v21.2

Report Date: June 2021

Product Description: Software

Contact Information: Renfro Consulting, Inc. – laura.renfro@renfroconsulting.com

Notes: This locally installed Software is an authoring tool. The answers in the WCAG 2.0 Tables are applicable for any information regarding Authoring Tools as well as locally installed Software. The nature of the application is to create content. The accessibility testing parameters are for the locally installed Software, there could be minor changes in an imported or exported document or other created content. Accessibility is a priority for OpenText and any issues found will be remediated as defects. There is an imbedded

Accessibility Keyboard Shortcuts Menu, and the help section should be referenced for accessibility information.

Evaluation Methods Used: Manual and automated testing based on the DHS TTv5 testing protocols.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports**: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- **Not Applicable**: The criterion is not relevant to the product.
- **Not Evaluated**: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.0 Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 – 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	There may be non-text content which is not labeled for a screen reader. There is functionality available in alternate means and with keyboard shortcuts.
1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not Applicable	
1.2.2 Captions (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not Applicable	
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not Applicable	
1.3.1 Info and Relationships (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	There is a structural menu as well as extensive keyboard shortcuts to content.

1.3.2 Meaningful Sequence (Level A)
Also applies to:
Revised Section 508
    • 501 (Web)(Software)
    • 504.2 (Authoring Tool)
    • 602.3 (Support Docs)
	Supports	

1.3.3 Sensory Characteristics (Level A)
Also applies to:
Revised Section 508
    • 501 (Web)(Software)
    • 504.2 (Authoring Tool)
    • 602.3 (Support Docs)
	Supports	

1.4.1 Use of Color (Level A)
Also applies to:
Revised Section 508
    • 501 (Web)(Software)
    • 504.2 (Authoring Tool)
    • 602.3 (Support Docs)
	Supports	

1.4.2 Audio Control (Level A)
Also applies to:
Revised Section 508
    • 501 (Web)(Software)
    • 504.2 (Authoring Tool)
    • 602.3 (Support Docs)
	Not Applicable	

2.1.1 Keyboard (Level A)
Also applies to:
Revised Section 508
    • 501 (Web)(Software)
    • 504.2 (Authoring Tool)
    • 602.3 (Support Docs)
	Supports	There are access keys and programmable access keys which make all content available using the keyboard.

2.1.2 No Keyboard Trap (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	There are access keys and programmable access keys which make all content available using the keyboard. There are areas where an access key or specific key combination may be required for navigation.
2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not Applicable	
2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not Applicable	
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	
2.4.1 Bypass Blocks (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs	Not Applicable	

2.4.2 Page Titled (Level A)
Also applies to:
Revised Section 508
    • 501 (Web)(Software)
    • 504.2 (Authoring Tool)
    • 602.3 (Support Docs)
	Supports	

2.4.3 Focus Order (Level A)
Also applies to:
Revised Section 508
    • 501 (Web)(Software)
    • 504.2 (Authoring Tool)
    • 602.3 (Support Docs)
	Supports	

2.4.4 Link Purpose (In Context) (Level A)
Also applies to:
Revised Section 508
    • 501 (Web)(Software)
    • 504.2 (Authoring Tool)
    • 602.3 (Support Docs)
	Supports	

3.1.1 Language of Page (Level A)
Also applies to:
Revised Section 508
    • 501 (Web)(Software)
    • 504.2 (Authoring Tool)
    • 602.3 (Support Docs)
	Supports	There is a menu selection in the application.

3.2.1 On Focus (Level A)
Also applies to:
Revised Section 508
    • 501 (Web)(Software)
    • 504.2 (Authoring Tool)
    • 602.3 (Support Docs)
	Supports	

3.2.2 On Input (Level A)
Also applies to:
Revised Section 508
   • 501 (Web)(Software)
   • 504.2 (Authoring Tool)
   • 602.3 (Support Docs)
	Supports	

3.3.1 Error Identification (Level A)
Also applies to:
Revised Section 508
   • 501 (Web)(Software)
   • 504.2 (Authoring Tool)
   • 602.3 (Support Docs)
	Supports	

3.3.2 Labels or Instructions (Level A)
Also applies to:
Revised Section 508
   • 501 (Web)(Software)
   • 504.2 (Authoring Tool)
   • 602.3 (Support Docs)
	Supports	

4.1.1 Parsing (Level A)
Also applies to:
Revised Section 508
   • 501 (Web)(Software)
   • 504.2 (Authoring Tool)
   • 602.3 (Support Docs)
	Not Applicable	No TTv5 protocol for testing this criteria.

4.1.2 Name, Role, Value (Level A)
Also applies to:
Revised Section 508
   • 501 (Web)(Software)
   • 504.2 (Authoring Tool)
   • 602.3 (Support Docs)
	Supports	

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not Applicable	
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not Applicable	
1.4.3 Contrast (Minimum) (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Partially Supports	There are areas which do not meet minimum contrast ratios.
1.4.4 Resize text (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Partially Supports	There is content which requires scrolling or is out of the user window when enlarged to 200%.
1.4.5 Images of Text (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not Applicable	

2.4.5 Multiple Ways (Level AA)
Also applies to:
Revised Section 508
    • 501 (Web)(Software) – Does not apply to non-web software
    • 504.2 (Authoring Tool)
    • 602.3 (Support Docs) – Does not apply to non-web docs
	Not Applicable	

2.4.6 Headings and Labels (Level AA)
Also applies to:
Revised Section 508
    • 501 (Web)(Software)
    • 504.2 (Authoring Tool)
    • 602.3 (Support Docs)
	Supports	

2.4.7 Focus Visible (Level AA)
Also applies to:
Revised Section 508
    • 501 (Web)(Software)
    • 504.2 (Authoring Tool)
    • 602.3 (Support Docs)
	Supports	

3.1.2 Language of Parts (Level AA)
Also applies to:
Revised Section 508
    • 501 (Web)(Software)
    • 504.2 (Authoring Tool)
    • 602.3 (Support Docs)
	Not Applicable	

3.2.3 Consistent Navigation (Level AA)
Also applies to:
Revised Section 508
    • 501 (Web)(Software) – Does not apply to non-web software
    • 504.2 (Authoring Tool)
    • 602.3 (Support Docs) – Does not apply to non-web docs
	Not Applicable	

3.2.4 Consistent Identification (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs	Not Applicable	
3.3.3 Error Suggestion (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not Applicable	

Revised Section 508 Report

Chapter 5: Software

Notes: This application is not platform software.

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.0 section	See information in WCAG 2.0 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not Applicable	
502.2.2 No Disruption of Accessibility Features	Not Applicable	
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Not Applicable	

Criteria	Conformance Level	Remarks and Explanations
502.3.2 Modification of Object Information	Not Applicable	
502.3.3 Row, Column, and Headers	Not Applicable	
502.3.4 Values	Not Applicable	
502.3.5 Modification of Values	Not Applicable	
502.3.6 Label Relationships	Not Applicable	
502.3.7 Hierarchical Relationships	Not Applicable	
502.3.8 Text	Not Applicable	
502.3.9 Modification of Text	Not Applicable	
502.3.10 List of Actions	Not Applicable	
502.3.11 Actions on Objects	Not Applicable	
502.3.12 Focus Cursor	Not Applicable	
502.3.13 Modification of Focus Cursor	Not Applicable	
502.3.14 Event Notification	Not Applicable	
502.4 Platform Accessibility Features	Not Applicable	
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Not Applicable	
503.3 Alternative User Interfaces	Not Applicable	
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	
503.4.2 Audio Description Controls	Not Applicable	
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter "not applicable")	See WCAG 2.0 section	See information in WCAG 2.0 section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	See WCAG 2.0 section	See information in WCAG 2.0 section
504.2.2 PDF Export	See WCAG 2.0 section	See information in WCAG 2.0 section
504.3 Prompts	See WCAG 2.0 section	See information in WCAG 2.0 section
504.4 Templates	See WCAG 2.0 section	See information in WCAG 2.0 section

Chapter 6: **Support Documentation and Services**

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supports	
602.3 Electronic Support Documentation	See WCAG 2.0 section	See information in WCAG 2.0 section
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	
603.3 Accommodation of Communication Needs	Supports	

Legal Disclaimer

Date Testing was Completed	June, 2021
Official Name	OpenText Exstream Design and Production Design Manager
Version Number	21.2
Browser	Local installation
Computer	Windows 10
Testing Tools Used	Windows Narrator, Windows Magnifier, Windows Speech Recognition, NVDA, Accessibility Insights
Tester Name	Laura Renfro, Renfro Consulting
Reviewed By	Pamela Thomas, OpenText Exstream
Notes/Unique to this Testing	The VPAT testing was semi comprehensive and not scenario driven. Log in, all ribbons and toolbars were tested. The application is very accessible and effort was made to follow normal operating cues and trails throughout the application.

For purposes of this test, "Supports" means largely satisfies, and "Partially Supports" means satisfies any percentage above zero.

The enclosed data documents a product's conformance with VPAT accessibility standards from Section 508 of the Rehabilitation Act of 1973, and 29 U.S.C. § 794(d). Data in this report reflects results which were obtained under a controlled environment. As such, duplication of tests may yield different results. Deviation from the data presented in this report may result from user error, software updates, differing legal jurisdiction, internet browser utilized, device used, or any other alteration, however slight, of the testing environment. Renfro Consulting does not guarantee that results will be identical in every scenario and is not responsible for any inconsistencies. Questions regarding results can be directed to Laura Renfro, at laura.renfro@renfroconsulting.com.